






U-PVC PIPES

PRODUCTION STANDARDS EN 1452-2

Current Optionally special pipe production is available.



U-PVC Solvent Cement Socketed Pressure Pipes PN 4, PN 6, PN 10, PN 16, PN 20, PN 25 Ø 20 - 500



Pipe With O-Ring Gasket Socketed PN 4, PN 6, PN 10, PN 16 Ø 20 - 500



U-PVC Pipes (Transparent) PN 10 Ø 20 - 140



Pipe Clamp Ø 20 - 315



U-PVC Double Socket Sleeve PN 10 & PN 16Ø 50 - 400



U-PVC Long Bend With O-Ring Socket PN 10 & PN 16 Ø 25 - 500



UH-PVC FITTINGS

SOLVENT CEMENT SOCKETED FITTINGS

PRODUCTION STANDARDS EN 1452-3 Size Ø 20 - Ø 400

Cptionally special pipe production is available.















U-PVC VALVES

SOLVENT CEMENT SOCKETED & THREADED BALL VALVES

PRODUCTION STANDARDS TS EN ISO 16135 Size Ø 20 - Ø 400

Optionally special pipe production is available.













UH-PVC CHECKVALVES

PRODUCTION STANDARDS EN 1452/3 Size Ø 20 - Ø 400

Optionally special pipe production is available.











WASTE WATER GROUP


































PP VALVES, CHECKVALVES, UNIONS, PIPE AND FITTINGS

PRODUCTION STANDARDS EN 12201-3 2011 & EN 1555-3 2010 Size Ø 20 - Ø 110

Cptionally special pipe production is available.











PP COMPRESSION FITTINGS, VALVES



PRODUCTION STANDARDS ÜBM - 00 - BK - 000 Size Ø 20 - Ø 110 PN 16

Optionally special pipe production is available.

















HDPE VALVES, CHECKVALVES, _ PIPE AND FITTINGS

PRODUCTION STANDARDS EN 12201-3 Size Ø 20 - Ø 630











POOL EQUIPMENTS


What Do You Need During Pool Building, Everything is Here from A to Z...













PİMTAŞ PLASTİK İNŞAAT MALZ. SAN. VE TİC. A.Ş.
Gebze Plastikçiler Organize Sanayi Bölgesi, Cumhuriyet Cad. No:52 Gebze/Kocaeli/ TURKEY
Pbx: 0090 262 751 24 24 (10 Hat) Fax: 0090 262 751 42 04-05 E mail: pimtas@pimtasplastik.com.tr www.pimtasplastik.com.tr